

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 03-22-2026

Laboratory: County of Santa Clara

Address: 11030 Doyle Road San Jose CA, 95129

RSP #: 22

Lab QC Mgr.: Aioub Hashemi

E-mail: aioub.hashemi@rda.sccgov.org

Telephone: 408-366-3109

Inspected By: Ed Gamboa

IA No.: 63

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2025-02-20:**

(# - NO certified tester at time of issuance)

| | | | | | | | |
|----------------------|-------------|---|-------------|--------------|--------------|----------------------------|---|
| CT 105 (JTCP) | CT 106 | # | CT 125 AGG | CT 125 HMA | CT 201 | CT 202 | |
| CT 216 | CT 217 | | CT 226 | CT 227 | CT 229 | CT 533 | |
| CT 539 | CT 540 | | CT 556 | CT 557 | CT 231 | CT 375 | |
| CT 211 | CT 301 | | CT 206 | CT 207 | CT 518 | CT 523.1 Section B.1 & B.2 | |
| CT 543 | CT 309 | | CT 205 | CT 308 | CT 366 | CT 382 | |
| CT 304 | CT 204 | | CT 306 | CT 367 | # AASHTO T11 | AASHTO T27 | |
| AASHTO R47 | AASHTO R76 | | AASHTO T166 | AASHTO T176 | AASHTO T209 | AASHTO T255 | |
| AASHTO T269 | AASHTO T275 | | AASHTO T308 | AASHTO T329 | AASHTO T335 | CT 504 | |
| CT 523.2 Section B.3 | CT 212 | | AASHTO T96 | AASHTO T304 | AASHTO T312 | AASHTO T324 | |
| ASTM D4791 | CT 389 | | AASHTO T84 | AASHTO T85 | CT 531 | CT 521.1 | |
| CT 521.2 | CT 370 | # | AASHTO T210 | # AASHTO T30 | CT 224 | # CT 225 | # |
| CT 234 | # CT 235 | # | CT 384 | # CT 515 | # CT 529 | # | |

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:**
<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

____ Facility Safety Manual
____ Laboratory Quality Control Manual
____ Proper test equipment

____ Copies of current applicable test methods
____ Calibration and service documentation
____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

63

IA number

Signature



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>

Unofficial Copy