



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 03-18-2026

Laboratory: CT D04 - Concord Field Laboratory

Address: 2525 Stanwell Drive Concord CA, 94520

RSP #: 422

Lab QC Mgr.: Gurind Joshi

E-mail: gurind.joshi@dot.ca.gov

Telephone: 510-714-7019

Inspected By: Joshua Gallaway

IA No.: 149

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2025-12-18:**

(# - NO certified tester at time of issuance)

CT 105 (JTCP)	CT 125 GEN	#	CT 125 HMA	CT 125 AGG	CT 201	CT 202	
CT 216	CT 226		CT 227	CT 231	CT 308	# CT 375	#
CT 382	# CT 523.1 Section B.1 & B.2		CT 524	CT 539	AASHTO T11	AASHTO T27	
AASHTO T275	AASHTO T308		AASHTO T329	CT 552	AASHTO R47	AASHTO R76	
AASHTO T255	AASHTO T335		CT 306	CT 205	CT 125 HMA	# CT 125 AGG	#
CT 523.2 Section B.3	CT 206	#	AASHTO T30	AASHTO T166	AASHTO T269		

* Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:

<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

____ Facility Safety Manual
____ Laboratory Quality Control Manual
____ Proper test equipment

____ Copies of current applicable test methods
____ Calibration and service documentation
____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

149

IA number

Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>