

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 12-20-2025

Laboratory: Verdantas Inc.

41715 Enterprise Circle North, Suite 103

Temecula CA, 92590

RSP #: 207

Lab QC Mgr.: Matthew Vinet

E-mail: mvinet@verdantas.com

Telephone: 951-296-0530 Inspected By: Roy(Chip) Denner

IA No.: 49

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

*Accredited test methods as of 2024-12-20:

(# - NO certified tester at time of issuance)

AASHTO T11		AASHTO T27		AASHTO T30	#	AASHTO R47		AASHTO R76		AASHTO T84	П
AASHTO T85	Γ	AASHTO T96	Г	AASHTO T166	Γ	AASHTO T176		AASHTO T209		AASHTO T210	#
AASHTO T248	#	AASHTO T255		AASHTO T269		AASHTO T275		AASHTO T304	#	AASHTO T308	T
AASHTO T329	Γ	AASHTO T335		ASTM D4791	#	CT 105 (JTCP)	Г	CT 106	#	CT 125 ADMIX	#
CT 125 AGG		CT 125 AGG		CT 125 BIT	#	CT 125 CEM	#	CT 125 GEN		CT 125 HMA	T
CT 125 HMA	Γ	CT 201		CT 202	Γ	CT 205	П	CT 206		CT 207	Τ
CT 211	Γ	CT 212	#	CT 213	#	CT 216		CT 217		CT 226	
CT 227	Γ	CT 229	П	CT 231	Γ	CT 234	#	CT 235	#	CT 301	Т
CT 304	#	CT 308	#	CT 309	#	CT 366	#	CT 370	#	CT 375	
CT 382	#	CT 504	Г	CT 518	Γ	CT 521.2	Г	CT 521.1		CT 523.1 Section B.1 & B.2	Τ
CT 523.2 Section B.3		CT 533		CT 539		CT 540		CT 541		CT 543	Τ
CT 556	Γ	CT 557	Γ		K					•	

https://sia.dot.ca.gov/		
Caltrans IA staff initially inspec	ted and assessed the laboratory on	for the following items:
Facility Safety Ma		Copies of current applicable test methods
Laboratory Qualit Proper test equip		Calibration and service documentation Calibration decals affixed to test equipment
Caltrans Accreditation was pro	ovided on by:	
IA Staff name	IA number	Signature

* Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:



For questions regarding this laboratory accreditation, please contact IA Staff: https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts