



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 07-17-2026

Laboratory: Santa Fe Aggregates - Winton (Teichert)

Address: 11650 North Shaffer Road Winton CA, 95388

RSP #: 97

Lab QC Mgr.: Chris Fuchs

E-mail: cfuchs@teichert.com

Telephone: 916-386-6984

Inspected By: David Small

IA No.: 94

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2025-07-17:**

(# - NO certified tester at time of issuance)

CT 105 (JTCP)	#	CT 106	#	CT 125 AGG		CT 125 HMA		CT 201	#	CT 202	#
CT 205	#	CT 217	#	CT 226	#	CT 227	#	CT 229	#	CT 370	#
CT 382	#	AASHTO R47		AASHTO T11		AASHTO T27		AASHTO R76		AASHTO T176	
AASHTO T210		AASHTO T255		AASHTO T308		AASHTO T329		AASHTO T335		AASHTO T209	
AASHTO T30											

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:**

<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual	_____ Copies of current applicable test methods
_____ Laboratory Quality Control Manual	_____ Calibration and service documentation
_____ Proper test equipment	_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

_____ IA Staff name	94 _____ IA number	_____ Signature
---------------------	-----------------------	-----------------

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>