



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 04-16-2026

Laboratory: CT D10 - Modesto Field Laboratory

Address: 908 North Emerald Avenue Modesto CA, 95351

RSP #: 402

Lab QC Mgr.: Mandeep Dhese

E-mail: Mandeep.dhese@dot.ca.gov

Telephone: 209-948-7567

Inspected By: N/A

IA No.: N/A

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

* Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website: <https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual	_____ Copies of current applicable test methods
_____ Laboratory Quality Control Manual	_____ Calibration and service documentation
_____ Proper test equipment	_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

_____ IA Staff name	N/A _____ IA number	_____ Signature
---------------------	------------------------	-----------------

For questions regarding this laboratory accreditation, please contact IA Staff: <https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>