

## CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

**Expiration Date: 07-31-2025** 

**Laboratory: Pacific Crest Engineering** 

444 Airport Boulevard, Suite 106 Watsonville

CA. 95076

**RSP #:** 595

Lab QC Mgr.: Carlie Bonita

E-mail: carlie@pacengineering.net

**Telephone:** 951-283-4094 **Inspected By:** David Small

**IA No.:** 94

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel\* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

## \*Accredited test methods as of 2024-07-31:

(# - NO certified tester at time of issuance)

AASHTO T11		AASHTO T27		AASHTO T30	AASHTO R47		AASHTO R76		AASHTO T166
AASHTO T176		AASHTO T209		AASHTO T255	AASHTO T269		AASHTO T275		AASHTO T304 #
AASHTO T308		AASHTO T329		AASHTO T335	ASTM D4791	#	CT 105 (JTCP)		CT 125 AGG
CT 125 AGG		CT 125 CEM	#	CT 125 HMA	CT 125 HMA		CT 201		CT 202
CT 204 #	#	CT 205		CT 216	CT 217		CT 226		CT 227
CT 229		CT 231		CT 306	CT 375		CT 504		CT 518
CT 521.2		CT 521.1		CT 523.1 Section B.1 & B.2	CT 523.2 Section B.3		CT 524	#	CT 533
CT 539	1	CT 540		CT 556	CT 557			Γ	

https://sia.dot.ca.gov/ Caltrans IA staff initially inspe	cted and assessed the laboratory on	for the following items:
Facility Safety M Laboratory Qual Proper test equi	ity Control Manual	Copies of current applicable test methods  Calibration and service documentation  Calibration decals affixed to test equipment
Caltrans Accreditation was pr	rovided on by:	
IA Staff name	94 IA number	Signature

For questions regarding this laboratory accreditation, please contact IA Staff: https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts