



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 01-06-2027

Laboratory: Martin Marietta - Santa Margarita

Address: 16815 North El Comino Real Santa Margarita CA, 93453

RSP #: 205

Lab QC Mgr.: Sergio Vazquez-Pinon

E-mail: Sergio.Vazquez-Pinon@MartinMarietta.com

Telephone: 559-374-8156

Inspected By: Allen Oliver

IA No.: 155

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2026-01-06:**

(# - NO certified tester at time of issuance)

CT 105 (JTCP)	CT 106	CT 125 AGG	CT 125 HMA	CT 201	CT 202
CT 206	CT 207	CT 309	AASHTO R47	AASHTO R76	AASHTO T11
AASHTO T27	AASHTO T30	AASHTO T84	AASHTO T85	AASHTO T166	AASHTO T176
AASHTO T209	AASHTO T210	# AASHTO T255	CT 308	# AASHTO T335	CT 370
CT 382	CT 212	# CT 217	CT 226	CT 227	CT 229
CT 234	CT 205	CT 125 BIT	CT 125 GEN	#	

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website: <https://sia.dot.ca.gov/>**

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual
_____ Laboratory Quality Control Manual
_____ Proper test equipment

_____ Copies of current applicable test methods
_____ Calibration and service documentation
_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

155

IA number

Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>