

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 09-17-2026

Laboratory: Martin Marietta - Visalia

Address: 29779 Road 68 Visalia CA, 93291

RSP #: 1751

Lab QC Mgr.: Nathan Shwiyhat

E-mail: Nathan.Shwiyhat@martinmarietta.com

Telephone: 559-365-0759

Inspected By: Allen Oliver

IA No.: 155

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2025-09-17:**

(# - NO certified tester at time of issuance)

CT 105 (JTCP)	CT 106	CT 125 ADMIX	#	CT 125 AGG	CT 125 BIT	CT 125 GEN	#
CT 125 HMA	CT 125 CEM	#	CT 201	CT 202	CT 205	CT 206	
CT 207	CT 217	CT 226	CT 227	CT 229	CT 234		
CT 308	#	CT 309	CT 370	CT 382	CT 235	AASHTO T11	
AASHTO T27	AASHTO R47	AASHTO R76	AASHTO T166	AASHTO T176	AASHTO T209		
AASHTO T269	AASHTO T275	AASHTO T308	AASHTO T312	AASHTO T329	AASHTO T335		
AASHTO T84	AASHTO T85	AASHTO T96	CT 306	AASHTO T304			

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:**

<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

Facility Safety Manual
Laboratory Quality Control Manual
Proper test equipment

Copies of current applicable test methods
Calibration and service documentation
Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

155

IA number

Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>