

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 11-02-2025

Laboratory: Sequoia Consultants, Incorporated

Address: 3403 West El Segundo Boulevard
Hawthorne CA, 90250

RSP #: 1766

Lab QC Mgr.: Ruben Jimenez

E-mail: rjimenez@sequoiacon.com

Telephone: 714-974-6316

Inspected By: Jay Horton

IA No.: 158

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2024-11-02:**

(# - NO certified tester at time of issuance)

AASHTO T209	AASHTO T275	CT 105 (JTCP)	CT 106	CT 125 ADMIX	CT 125 AGG
CT 125 AGG	CT 125 BIT	CT 125 CEM	CT 125 GEN	CT 125 HMA	CT 125 HMA
CT 201	CT 202	CT 204	CT 206	CT 207	CT 216
CT 217	CT 226	CT 227	CT 229	CT 231	CT 308
CT 309	CT 504	CT 518	CT 521.2	CT 521.1	CT 523.1 Section B.1 & B.2
CT 523.2 Section B.3	CT 524	CT 533	CT 539	CT 540	CT 556
CT 557					

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:**
<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

____ Facility Safety Manual
____ Laboratory Quality Control Manual
____ Proper test equipment

____ Copies of current applicable test methods
____ Calibration and service documentation
____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

158

IA number

Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>