CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 10-30-2026
Laboratory: GRI - Natomas Laboratory
Address: 1427 North Market Boulevard, Unit 9
Sacramento CA, 95834
RSP #: 1769
Lab QC Mgr.: Phil Reader
E-mail: phil.reader@gerogereed.com
Telephone: 209-480-8453
Inspected By: Navraj Randhawa
IA No.: 164

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website: https://sia.dot.ca.gov/**

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual
_____ Laboratory Quality Control Manual
_____ Proper test equipment
_____ Copies of current applicable test methods
_____ Calibration and service documentation
_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

_____ IA Staff name

164 IA number

_____ Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts

Unofficial copy