



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 03-13-2026

Laboratory: GRI - Natomas Laboratory

Address: 1427 North Market Boulevard, Unit 9
Sacramento CA, 95834

RSP #: 1769

Lab QC Mgr.: Phil Reader

E-mail: phil.reader@gerogereed.com

Telephone: 209-480-8453

Inspected By: N/A

IA No.: N/A

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

* Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website: <https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual

_____ Laboratory Quality Control Manual

_____ Proper test equipment

_____ Copies of current applicable test methods

_____ Calibration and service documentation

_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

IA Staff name

N/A

IA number

Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>