

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

Expiration Date: 03-27-2026

Laboratory: QVADRANT CONSULTING INC.

41905 Boardwalk, Suite B PALM DESERT

CA. 92211

RSP #: 392

Lab QC Mgr.: Vishal Jakkaraju

E-mail: vjakkaraju@qvadrant.com

Telephone: 480-234-5862 **Inspected By:** Robby Rodriguez

IA No.: 74

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

*Accredited test methods as of 2025-03-27:

(# - NO certified tester at time of issuance)

| CT 105 (JTCP) | CT 125 AGG | CT 125 GEN | CT 125 HMA | CT 201 | CT 202 |
|---------------|-------------|-------------|-------------|-------------|-------------|
| CT 217 | CT 226 | CT 229 | CT 231 | CT 306 | CT 308 |
| CT 370 | CT 375 | CT 504 | CT 518 | CT 539 | CT 540 |
| CT 556 | CT 557 | AASHTO R47 | AASHTO R76 | AASHTO T11 | AASHTO T27 |
| AASHTO T166 | AASHTO T176 | AASHTO T255 | AASHTO T275 | AASHTO T335 | AASHTO T329 |
| CT 125 AGG | CT 125 HMA | | | | |

*Accredited test methods as of 2025-08-29:

(# - NO certified tester at time of issuance)

| | | | | |
|--------|--------|--------|------|------|
| CT 205 | CT 227 | CT 216 | | |

| https://sia.dot.ca.gov/ Caltrans IA staff initially inspect | ed and assessed the laboratory on | for the following items: | | | |
|---|-----------------------------------|--|--|--|--|
| Facility Safety Ma | nual | Copies of current applicable test methods | | | |
| Laboratory Quality | | Calibration and service documentation | | | |
| Proper test equipment | | Calibration decals affixed to test equipment | | | |
| Caltrans Accreditation was pro- | vided on by: | | | | |
| | , | | | | |
| | 74 | | | | |
| | | | | | |



For questions regarding this laboratory accreditation, please contact IA Staff: https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts