

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0113: LABORATORY ACCREDITATION REPORT

**Expiration
Date:** 10-16-2026

Laboratory: Cemex Clayton

Address: 515 Mitchell Canyon Road Clayton CA,
94517

RSP #: 445

Lab QC Mgr.: Eduardo Zamudio Pitalua

E-mail: eduardo.zamudiopitalua@cemex.com

Telephone: 424-324-1966

Inspected By: Joshua Gallaway

IA No.: 149

Caltrans Independent Assurance Staff accredited this laboratory to perform materials testing on Caltrans and state/federal-funded local agency construction projects. At the time of the inspection and assessment, this laboratory had all necessary equipment and documentation to perform the test methods indicated below.

Testing personnel* shall be Caltrans certified and possess a current Caltrans Certification Form TL-0111 and/or AASHTO Proficiency Form TL-0115 prior to performing any sampling or testing.

***Accredited test methods as of 2025-10-16:**

(# - NO certified tester at time of issuance)

CT 125 AGG	CT 201	CT 202	CT 217	CT 226	CT 227
CT 229					

*** Please verify laboratory accreditation and associated testing personnel by visiting the SIAD website:**
<https://sia.dot.ca.gov/>

Caltrans IA staff initially inspected and assessed the laboratory on _____ for the following items:

_____ Facility Safety Manual	_____ Copies of current applicable test methods
_____ Laboratory Quality Control Manual	_____ Calibration and service documentation
_____ Proper test equipment	_____ Calibration decals affixed to test equipment

Caltrans Accreditation was provided on by:

_____	149	_____
IA Staff name	IA number	Signature

For questions regarding this laboratory accreditation, please contact IA Staff:
<https://dot.ca.gov/programs/engineering-services/ia-staff-regional-contacts>