

Certificates for Ward Jenkins

Basic Information

First Name	Ward
Last Name	Jenkins
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans District 2 Materials Lab	Ward Jenkins	1657 Riverside Drive, Redding, CA 96001	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 366 Stabilometer	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 367 OBC	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 531 Core Length - PCC	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-02-07	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)

Unofficial Copy