

Certificates for Terrance Schmitt

Basic Information

First Name	Terrance
Last Name	Schmitt
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-01-08	Expired	Benjamin Martinez	(No lab)	Opted-Out of 2023 CSP CT 227. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 229 Durability (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 301 "R" Value	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 360 Surface Abrasion	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 368 OBC of OGAC	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2018-03-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 643 Resistivity and pH Measurements	2018-03-21	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-05-27	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-05-27	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-05-27	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-05-27	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-05-27	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-04-23	Expired	Sarbjit Grewal	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)