

## Certificates for Colt Sweeny

### Basic Information

<b>First Name</b>	Colt
<b>Last Name</b>	Sweeny
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans District 2 Materials Lab	Ward Jenkins	1657 Riverside Drive, Redding, CA 96001	2	Lab 1
Caltrans Red Bluff Lab	Monte Spencer	13700 Hwy 36E, Red Bluff, CA 96080	2	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2022-12-29	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-01-04	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2024-01-04	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2024-01-04	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
CT 211 LA Rattler	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2023-12-29	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 213 Organic Impurities of PCC sand	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2023-01-17	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-12-29	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2023-12-29	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2023-12-29	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2021-12-31	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-01-06	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-01-06	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-31	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-01-06	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-01-06	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-12-29	Active	Husam Makhoul	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-01-06	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)