

Certificates for Darrell Valasek

Basic Information

First Name	Darrell
Last Name	Valasek
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2022-12-29	Expired	Husam Makhoul	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-01-04	Expired	Husam Makhoul	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2024-01-04	Expired	Husam Makhoul	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2024-01-04	Expired	Husam Makhoul	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 360 Surface Abrasion	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 366 Stabilometer	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2024-06-14	Expired	Anthony Ortiz	(No lab)	(No comments)
CT 387 Inertial Profilers	2021-12-31	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 643 Resistivity and pH Measurements	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **21** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R76(03-0H10U4) Reducing Samples of Agg	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-31	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2023-12-29	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-01-04	Expired	Husam Makhoul	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)