

Certificates for Terry McCormick

Basic Information

First Name	Terry
Last Name	McCormick
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D02 - Materials Laboratory	Ward Jenkins	1657 Riverside Drive, Redding, CA 96001	2	Lab 1

Test Methods

California Test (CT) Certifications

Total **43** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2026-08-31	Active	Darrell Valasek	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2026-08-31	Active	Darrell Valasek	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-09-08	Active	Darrell Valasek	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 204 LL, PL, PI	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 211 LA Rattler	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 301 "R" Value	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 305 Swell Test - HMA (DELETED)	2021-10-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 307 Moisture Vapor Susceptibility - HMA	2021-10-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 360 Surface Abrasion	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 366 Stabilometer	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 367 OBC	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 368 OBC of OGAC	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 379 AC Content by Nuclear Gage	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 531 Core Length - PCC	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-10-09	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **21** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-10-25	Expired	Natalie Rivinius	Lab 1	(No comments)