

Certificates for Jason Schuler

Basic Information	
First Name	Jason
Last Name	Schuler
Status	Active

Associated Labs				
Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods					
<h2>California Test (CT) Certifications</h2> <p>Total 24 items.</p>					
Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Natalie Rivinius	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 211 LA Rattler	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-03-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-03-20	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2019-03-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-03-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-03-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-03-13	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)