

Certificates for Randy Bibbens

Basic Information

First Name	Randy
Last Name	Bibbens
Status	Active

Associated Labs

Total 5 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CGI Technical Services, Ward Lake	Cliff Curry	476-250 Ward Lake Road, Litchfield, CA 96117	2	Lab 1
CGI Technical Services, Incorporated	Tanner Jones	1612 Insight Place, Redding, CA 96003	2	Lab 2
CGI Technical Services, J.F. Shea Fawndale	Cliff Curry	15381 Fawndale Road, Redding, CA 96003	2	Lab 3
CGI Technical Services, Shaw Pit	Cliff Curry	1294 CR-85A, Lookout, CA 96054	2	Lab 4
CGI Technical Services, Eagle Peak Rock	Cliff Curry	886 Fitch Road, Alturas, CA 96101	2	Lab 5

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-05-09	Active	Darrell Valasek	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-06-14	Expired	Natalie Rivinius	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-05-10	Active	Darrell Valasek	Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-10	Active	Darrell Valasek	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-10	Active	Darrell Valasek	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-14	Expired	Natalie Rivinius	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 HMA Sampling - HMA	2025-05-10	Active	Darrell Valasek	Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 211 LA Rattler	2026-03-05	Active	Darrell Valasek	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-01	Expired	Marcelo Jimenez	Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 308 Bulk SpG and Density - HMA	2026-03-05	Active	Darrell Valasek	Lab 2, Lab 4	(No comments)
CT 309 Max SpG and Density - HMA	2026-03-05	Active	Darrell Valasek	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 370 Moisture Content by Microwave	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 382 AC Content by Ignition Oven	2026-03-05	Active	Darrell Valasek	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2026-03-05	Active	Darrell Valasek	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total **9** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
AASHTO T96 L.A. Rattler	2026-03-05	Active	Darrell Valasek	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-04-01	Expired	Marcelo Jimenez	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-04-01	Expired	Marcelo Jimenez	Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-04-01	Expired	Marcelo Jimenez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Unofficial Copy