

Certificates for Bob Crews

Basic Information

First Name	Bob
Last Name	Crews
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Inc.	Craig Long	20260 Skypark Drive, Redding, CA 96002	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 366 Stabilometer	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 371 Moisture Induced Damage (TSR)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-03-06	Expired	Natalie Rivinius	Lab 1	(No comments)

Unofficial Copy