Certificates for Trevor Hixon

Basic Information

First Name	Trevor
Last Name	Hixon
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Incorporated	Craig Long	5702 Marsh Drive, Pacheco, CA 96002	4	Lab 1
Pavement Engineering, Incorporated	Jonathan Edholm	3680 Industrial Boulevard, Suite 400, West Sacramento, CA 95690	3	Lab 2

Test Methods

California Test (CT) Certifications

Total **9** items.

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-17	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-02-23	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-02-08	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2024-02-08	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-19	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2024-02-23	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-02-22	Expired	Marcelo Jimenez	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-02-08	Expired	Ignocencio Herrera	Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2024-02-08	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)

Unofficial Copy

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy