

Certificates for John Reymer

Basic Information

First Name	John
Last Name	Reymer
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Incorporated	Craig Long	7610 Avianca Drive, Redding, CA 96002	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-12-19	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-12-13	Active	Phillip Asher	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-12-13	Active	Phillip Asher	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-12-13	Active	Phillip Asher	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-19	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-12-13	Active	Phillip Asher	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-02-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-16	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-12-12	Active	Darrell Valasek	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-12-12	Active	Darrell Valasek	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy