

## Certificates for Zachary Thompson

### Basic Information

<b>First Name</b>	Zachary
<b>Last Name</b>	Thompson
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2017-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 211 LA Rattler	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-02-18	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-06-06	Expired	Natalie Rivinius	(No lab)	(No comments)