

Certificates for Edward Cortez

Basic Information

First Name	Edward
Last Name	Cortez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
City of San Jose	Lorina Popescu	1661 Senter Road, Building A, 1st floor, San Jose, CA 95112	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 367 OBC	2018-06-01	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-06-01	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T312 Gyrotory Compactor	2023-03-24	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2023-03-24	Expired	David Small	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
SP 2 Asphalt Mixture Volumetrics	2018-06-01	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy