

## Certificates for Mike Minkof

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Mike   |
| <b>Last Name</b>  | Minkof |
| <b>Status</b>     | Active |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 11 items.

| Test Method   | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2023-06-30      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 106 Definitions - Specific Gravity (SpG)         | 2023-06-30      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS                                | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 125 GEN Sampling - GENERAL                                   | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2023-06-30      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 375 AC Density by Nuclear Gage                               | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |
| CT 379 AC Content by Nuclear Gage                               | 2018-03-11      | Expired | Marcelo Jimenez | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |

Unofficial Copy