

Certificates for Randy Eastlick

Basic Information

First Name	Randy
Last Name	Eastlick
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-03-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-03-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-03-25	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2021-03-15	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-03-15	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)