

## Certificates for Theodore Kinsey

### Basic Information

<b>First Name</b>	Theodore
<b>Last Name</b>	Kinsey
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 44 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 204 LL, PL, PI	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 211 LA Rattler	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-21	Active	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 301 "R" Value	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 366 Stabilometer	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 367 OBC	2021-06-09	Expired	Loren Lee	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2021-06-09	Expired	Loren Lee	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 526 Profilograph	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 547 Bridge Profilograph	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-06-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-07-20	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-07-20	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-05-04	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-07-20	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-07-20	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-07-20	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-05-06	Active	Soroosh Amelian	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)
SP 2 Asphalt Mixture Volumetrics	2021-12-19	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy