

Certificates for Dave Nash

Basic Information

First Name	Dave
Last Name	Nash
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Construction Materials Engineering, Inc.	Steve Vineis	300 Sierra Manor Drive # 1, Reno, NV 89511	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Marcelo Jimenez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Marcelo Jimenez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2020-04-05	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-05-14	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)