

Certificates for Gilbert Morales

Basic Information

First Name	Gilbert
Last Name	Morales
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Construction Materials Engineering, Inc.	Steve Vineis	300 Sierra Manor Drive # 1, Reno, NV 89511	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 204 LL, PL, PI	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 211 LA Rattler	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 366 Stabilometer	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-04-05	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-18	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2020-04-05	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	Lab 1	(No comments)

Unofficial Copy