

Certificates for Stephen Hein

Basic Information

First Name	Stephen
Last Name	Hein
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)