Certificates for Arthur Legg

Basic Information

First Name	Arthur
Last Name	Legg
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **31** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-20	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID17977
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-20	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID17977
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-08-19	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **4** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-06-20	Expired	Marcelo Jimenez	(No lab)	(No comments)

Unofficial Copy

Unofficial Copy