

Certificates for Kevin Gentolizo

Basic Information

First Name	Kevin
Last Name	Gentolizo
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					