

Certificates for Mathew Pontoni

Basic Information

First Name	Mathew
Last Name	Pontoni
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 33 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 204 LL, PL, PI	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 366 Stabilometer	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-04-12	Expired	Natalie Rivinius	(No lab)	Created based on CT521 certificate ID18080
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-04-12	Expired	Natalie Rivinius	(No lab)	Created based on CT521 certificate ID18080
CT 533 Ball Penetration - PCC	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-11-22	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-04-12	Expired	Marcelo Jimenez	(No lab)	(No comments)