

Certificates for John Hubbard

Basic Information

First Name	John
Last Name	Hubbard
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Materials Testing, Incorporated	Andrew King	8798 Airport Road, Redding, CA 96002	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 38 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-07-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 301 "R" Value	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 366 Stabilometer	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2020-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-04-03	Expired	Marcelo Jimenez	Lab 1	Created based on CT521 certificate ID18133

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-04-03	Expired	Marcelo Jimenez	Lab 1	Created based on CT521 certificate ID18133
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-01-11	Active	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-04-03	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-06-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-06-01	Expired	Marcelo Jimenez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-06-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-06-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-06-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-04-03	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-06-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-07-13	Expired	Natalie Rivinius	(No lab)	(No comments)