

Certificates for Cheryl Abraham

Basic Information

First Name	Cheryl
Last Name	Abraham
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Red Bluff Lab	Monte Spencer	13700 Hwy 36E, Red Bluff, CA 96080	2	Lab 1
Caltrans Quincy Lab	Cheryl Abraham	1555 E. Main Street, Quincy, CA 95971	2	Lab 2

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 387 Inertial Profilers	2018-12-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-12-13	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-12-13	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-12-13	Expired	Natalie Rivinius	Lab 1	(No comments)