

Certificates for Matt Birkland

Basic Information

First Name	Matt
Last Name	Birkland
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 211 LA Rattler	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-02-08	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy