

Certificates for Paul West

Basic Information

First Name	Paul
Last Name	West
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **14** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-06-23	Active	Gabriela Lopez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **1** item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2020-02-21	Expired	Natalie Rivinius	(No lab)	(No comments)