

## Certificates for Nick Gasik

### Basic Information

<b>First Name</b>	Nick
<b>Last Name</b>	Gasik
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-06-20	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-06-20	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-06-20	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-20	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-05-29	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy