

Certificates for Jarvis Thor

Basic Information

First Name	Jarvis
Last Name	Thor
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Incorporated	Craig Long	20260 Skypark Drive, Redding, CA 96002	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-12-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-12-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-12-14	Active	Phillip Asher	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-12-14	Active	Phillip Asher	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-12-14	Active	Phillip Asher	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-06	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-12-14	Active	Phillip Asher	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-05	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-05	Expired	Jackie Treat	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-12-14	Active	Phillip Asher	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-06-05	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-06-05	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-05	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-12-14	Active	Phillip Asher	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					