

Certificates for Jordan Gobel

Basic Information

First Name	Jordan
Last Name	Gobel
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 33 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 531 Core Length - PCC	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-05-15	Expired	Marcelo Jimenez	(No lab)	(No comments)