

Certificates for Shawn Tauscher

Basic Information

First Name	Shawn
Last Name	Tauscher
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-05-10	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-05-10	Expired	Loren Lee	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-05-10	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-05-10	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-12-05	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2019-12-05	Expired	George Thorpe	(No lab)	(No comments)
CT 211 LA Rattler	2019-12-05	Expired	George Thorpe	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2019-12-05	Expired	George Thorpe	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2019-12-05	Expired	George Thorpe	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-01-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-12-07	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-12-09	Expired	George Thorpe	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-12-08	Expired	George Thorpe	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-12-07	Expired	George Thorpe	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-12-09	Expired	George Thorpe	(No lab)	Created based on CT521 certificate ID18727
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-12-09	Expired	George Thorpe	(No lab)	Created based on CT521 certificate ID18727

AASHTO/ASTM Proficiencies

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-12-06	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-12-06	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2018-12-06	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-12-08	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)