

Certificates for Mike Lopez

Basic Information

First Name	Mike
Last Name	Lopez
Status	Inactive

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-12-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2019-12-13	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2026-03-14	Active	Alexis England	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-03-14	Active	Alexis England	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-12-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 209 SpG for Soil	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 211 LA Rattler	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 224 Bulk SpG - Coarse Agg (S.S.D.)	2017-12-12	Expired	George Thorpe	(No lab)	(No comments)
CT 225 Bulk SpG - Fine Agg (S.S.D.)	2017-12-12	Expired	George Thorpe	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 366 Stabilometer	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 367 OBC	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 368 OBC of OGAC	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 379 AC Content by Nuclear Gage	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-12-13	Expired	George Thorpe	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2018-12-12	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2018-12-13	Expired	Darla Ghidinelli	(No lab)	(No comments)

Unofficial Copy