

## Certificates for Greg Lochemes

### Basic Information

<b>First Name</b>	Greg
<b>Last Name</b>	Lochemes
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	George Thorpe	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	George Thorpe	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-02-02	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-02-14	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					