

Certificates for Greg Lochemes

Basic Information

First Name	Greg
Last Name	Lochemes
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	George Thorpe	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	George Thorpe	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-13	Expired	George Thorpe	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-02-02	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-02-14	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-02-14	Expired	George Thorpe	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					