

Certificates for Adam Autsen

Basic Information

First Name	Adam
Last Name	Autsen
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Sacramento	Au Williams	9665 Agriculture Lane, Sacramento, CA 95827	3	Lab 1

Test Methods

California Test (CT) Certifications

Total **34** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-05-04	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-07-24	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-05-04	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-05-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-08-31	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 301 "R" Value	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 366 Stabilometer	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-07-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-05-04	Active	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID38905
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-05-04	Active	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID38905
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2025-05-04	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 541 Flow Cone	2019-07-24	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-06-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-28	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-28	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-28	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-28	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-07-18	Expired	Ignocencio Herrera	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-28	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)