

## Certificates for Robert Martin

### Basic Information

<b>First Name</b>	Robert
<b>Last Name</b>	Martin
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Sacramento	Au Williams	9665 Agriculture Lane, Sacramento, CA 95827	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 33 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-06-27	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-06-27	Active	Ignocencio Herrera	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 211 LA Rattler	2025-06-28	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2025-06-28	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2025-06-28	Active	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-02-09	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 366 Stabilometer	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-06-28	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-07-19	Active	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID19576
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-07-19	Active	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID19576
CT 533 Ball Penetration - PCC	2025-06-28	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 541 Flow Cone	2024-07-19	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					