

Certificates for Patrick Grogan

Basic Information

First Name	Patrick
Last Name	Grogan
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Landset Engineers	Patrick Grogan	520-B Crazy Horse Canyon Road, Salinas, CA 93907	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-22	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-03-01	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-22	Expired	Jeff Rush	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 204 LL, PL, PI	2022-09-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-02-15	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-09-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-09-03	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID59231
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-09-03	Expired	Jeff Rush	(No lab)	Created based on CT521 certificate ID59231

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2022-09-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2019-03-13	Expired	Bomasur Banzon	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-05-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					