

Certificates for Frank Knight

Basic Information

First Name	Frank
Last Name	Knight
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction - Bradshaw	Gerardo Valdovinos	4001 Bradshaw Road, Sacramento, CA 95851	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 44 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 208 Apparent SpG - Fine Aggregates	2021-06-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 211 LA Rattler	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-06-11	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 301 "R" Value	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 366 Stabilometer	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-06-11	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 389 Hamburg Wheel-Track	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-04-16	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO PP3 Rolling Wheel Compaction of HMA specimens	2021-01-06	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	provisional until 6/15/20
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	Provisional to 6/15/20
AASHTO R83 Performance Test Specimens using the (SGC)	2021-01-06	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO TP124 Fracture Potential of Asphalt Mixtures	2021-01-06	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-08-27	Expired	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-08-27	Expired	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	Provisional to 6/15/20
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-08-27	Expired	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-08-27	Expired	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-08-27	Expired	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T321 Beam Fatigue Testing	2021-01-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-02-13	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T378 AMPT	2021-01-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-04-22	Expired	Jackie Treat	Lab 1	(No comments)