

Certificates for Richard Montalvo

Basic Information

First Name	Richard
Last Name	Montalvo
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Engeo, Inc.	Richard Montalvo	2213 Plaza Dr., Rocklin, California 95765	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2022-04-08	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-02-02	Active	Jackie Treat	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-02-02	Active	Jackie Treat	Lab 1	(No comments)
CT 301 "R" Value	2023-04-08	Active	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 366 Stabilometer	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2024-03-24	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-02-02	Active	Jackie Treat	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-02-02	Active	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-01-15	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					